

NUMBER: VNMT20004886



TEST REPORT

NUMBER: VNMT20004886 DATE: 18-Feb-2020

APPLICANT : FASHION LINK JOINT STOCK COMPANY.

176 HONG BANG, WARD 12, DISTRICT 5, HO CHI MINH CITY,

VIETNAM, HCM, VIET NAM

ATTN : THANH TUYEN

Date Received/Date Test Started : 14 Feb 2020

Date Confirmation Received : -

TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO ENCLOSED PAGE(S)

AUTHORIZED BY FOR INTERTEK VIETNAM LTD. [HO CHI MINH]

PHUONG LE SOFTLINES GENERAL MANAGER

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)



TEST REPORT

NUMBER: VNMT20004886 DATE: 18-Feb-2020

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

1. Antibacterial Activity

AATCC 100 - 2012 Organism Klebsiella pneumoniae (ATCC 4352) And Organism Staphylococcus aureus (ATCC 6538)

Test Organism: Staphylococcus Aureus (ATCC 6538)

Klebsiella Pneumoniae (ATCC 4352)

Sterilization Of Sample Before Test: Autoclave At 121°C, 15 Minutes

Neutralizing Solution: 0.85% Sodium Chloride Solution

Contact Time: 24 Hours Incubation Temperature: 37ºC Incubation Period: 48 Hours Agar Medium: Nutrient Agar

Tested Specimen: Submitted Sample (8 Pieces Of Swatches With 4.8 cm In Diameter)

Result:

	Staphylococcus Aureus (ATCC 6538)	Klebsiella pneumoniae (ATCC 4352)
Initial Count (CFU/ml)	5.5x10^5	4.8x10^5
The number of bacterial recovered from the inoculated tested sample swatches immediately after inoculation ("0" contact time)(b)(CFU/Sample)	4.4x10%5	5.5x10^5
The number of bacterial recovered from the inoculated tested sample swatches incubated over 24 hours contact period (a)(CFU/Sample)	<1.0x10^2	<1.0x10^2
Percent reduction of Bacterial	>99.98%	>99.98%



TEST REPORT

NUMBER: VNMT20004886 DATE: 18-Feb-2020

2. UV Protection

FN 13758-1:2001 As Received

EN 13758-1:2001 As Received	
	Dry
The Mean Ultraviolet Protection Factor, UPF	24.80
The Mean UVA Transmittance, T (UVA) (%)	6.06
The Mean UVB Transmittance, T (UVB) (%)	3.47
Percent UVA Blocking (%)	93.94
Percent UVB Blocking (%)	96.53
UV Protection Category	Good Protection
UPF Rating For Label	20
	Wet
The Mean Ultraviolet Protection Factor, UPF	49.11
The Mean UVA Transmittance, T (UVA) (%)	4.39
The Mean UVB Transmittance, T (UVB) (%)	1.35
Percent UVA Blocking (%)	95.61
Percent UVB Blocking (%)	98.65
UV Protection Category	Good Protection
UPF Rating For Label	20

END OF THE TEST REPORT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is $governed\ by\ Intertek\ Standard\ Terms\ and\ Conditions\ of\ Service\ which\ is\ available\ on\ request$ or can be obtained at http://www.intertek.com/terms.